

Hunter Douglas AERC Energy Rated and Certified Products

Hunter Douglas is the first manufacturer to earn a national energy performance rating and certification for interior window covering products through the Attachments Energy Rating Council (AERC). With support from the U.S. Department of Energy (DOE), AERC is the first-ever, third-party verified program to rate, label and certify the energy performance of window attachments.

AERC ENERGY RATINGS EXPLAINED

To understand a homeowner's need, it is important to know how window treatments play a crucial role in providing energy efficiency and comfort in a home. It is also necessary to look at all the ways that AERC measures energy efficiency.

These measurements include:

U-factor and **Solar Heat Gain Coefficient (SHGC)** are based on the fabric and shade properties.

Cool Climate Rating and Warm Climate Rating:

Typical Use are Energy Performance values based on a study* of how often the average homeowner raises and lowers their shades.

Cool Climate and **Warm Climate Rating with Automation** are the Energy Performance values based on the shade using an automated schedule to raise and lower the shade for optimized energy savings, with no consumer interaction.

U-factor: 0.30 or lower is better

SHGC: 0.30 or lower is better

Cool Climate Rating with Automation: A higher number is better

Warm Climate Rating with Automation: A higher number is better

U-factor

Measures the rate of heat transfer into or out of the home, reducing the energy needed to warm the home in winter and cool it in summer.

Solar Heat Gain Coefficient (SHGC)

Measures how well the product blocks heat caused by sunlight. Energy-efficient Hunter Douglas window coverings help to control solar heat by allowing it into your home in the winter on sunny days and minimizing the amount that comes in during the summer.

Cool Climate Rating


Rates how well the product performs in a cool climate based on how a homeowner, on average, moves their shades. The closer to the Max Improvement rating, the less energy is required to heat the home.

Warm Climate Rating

Rates how well the product performs in a warm climate based on how a homeowner, on average, moves their shades. The closer to the Max Improvement rating, the less energy is required to cool the home.

Automation Ratings

Rates how well the product performs in Warm and Cool climates based on an optimized operation schedule where shades are automatically raised and lowered without human interaction.



Climate Zones

COOL Use Cool Climate Rating
MIXED Use Both Climate Ratings
WARM Use Warm Climate Rating

Cool Climate Rating: A higher number is better

Warm Climate Rating: A higher number is better

AERC Cellular Shade Category

Visit hunterdouglas.com/tax-credit for a list of products that qualify for up to \$1,200 in federal energy tax credits.

Alustra® Duette® Architella® ¾" and 1¼" Room-Darkening Honeycomb Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
Alustra® Duette® Architella® Leela™ ¾"	U25	0.18	0.15	10	46	44	56	CS-L-VMCMI
Alustra Duette Architella Leela 1¼"	U45	0.18	0.15	10	46	50	66	CS-L-K8YSJ
Alustra Duette Architella Macon™ ¾"	U27	0.18	0.15	11	46	50	66	CS-L-GOMWI
Alustra Duette Architella Macon 1¼"	U47	0.18	0.15	11	46	50	66	CS-L-ICHVS
Alustra Duette Architella Solasta™ ¾"	U29	0.24	0.18	10	47	50	65	CS-L-15XZ9
Alustra Duette Architella Solasta 1¼"	U49	0.24	0.18	10	47	50	65	CS-L-NECTR

Alustra Duette Architella ¾" and 1¼" Light-Filtering Honeycomb Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
Alustra Duette Architella Leela ¾"	U24	0.22	0.22	10	39	44	56	CS-L-4G66I
Alustra Duette Architella Leela 1¼"	U44	0.22	0.22	11	39	44	56	CS-L-08500
Alustra Duette Architella Macon ¾"	U26	0.21	0.22	12	39	46	56	CS-L-M9XKL
Alustra Duette Architella Macon 1¼"	U46	0.21	0.22	12	39	46	56	CS-L-UHPEV
Alustra Duette Architella Solasta ¾"	U28	0.26	0.26	12	38	46	53	CS-L-YDIK1
Alustra Duette Architella Solasta 1¼"	U48	0.26	0.26	13	38	46	53	CS-L-GHVQ6

*The study was conducted by D+R International based on a behavioral study of 2,467 household in 12 markets.

(continued)



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCenergyRating.org for additional rating criteria details.

Duette® Architella® ¾" and 1¼" Room-Darkening Honeycomb Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
Duette® Architella® Alexa™ ¾"	C94	0.24	0.19	10	46	50	64	CS-L-T2S04
Duette Architella Alexa 1¼"	C89	0.24	0.19	11	46	50	64	CS-L-6PZJQ
Duette Architella Batiste Bamboo ¾"	C96	0.23	0.17	10	47	50	66	CS-L-2UE2A
Duette Architella Batiste Bamboo 1¼"	C98	0.23	0.18	10	47	50	66	CS-L-RLHWF
Duette Architella Classic™ ¾"	C51	0.23	0.17	10	47	50	66	CS-L-LP16U
Duette Architella Elan® ¾"	C23	0.24	0.17	9	47	48	66	CS-L-FAGPL
Duette Architella Elan 1¼"	C43	0.24	0.18	9	47	48	66	CS-L-LARP8
Duette Architella Elan® Metallic ¾"	C23	0.24	0.18	9	47	49	66	CS-L-JWZ2H
Duette Architella Elan Metallic 1¼"	C43	0.24	0.18	10	48	50	67	CS-L-1KUTD
Duette Architella India Silk™ ¾"	U23	0.18	0.15	10	47	49	66	CS-L-CVRYZ
Duette Architella India Silk 1¼"	U43	0.18	0.15	10	47	50	67	CS-L-TML55
Duette Architella Reception ¾"	C57	0.24	0.17	9	48	46	66	CS-L-TECTZ
Duette Architella Thea™ ¾"	C59	0.24	0.19	10	46	50	65	CS-L-INQJR
Duette Architella Thea 1¼"	C61	0.24	0.19	11	46	50	65	CS-L-3H7HW

Duette Architella ¾" and 1¼" Light-Filtering Honeycomb Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
Duette Architella Alexa ¾"	C93	0.27	0.24	9	40	42	55	CS-L-TUORM
Duette Architella Alexa 1¼"	C88	0.27	0.25	9	39	41	54	CS-L-XZSUM
Duette Architella Batiste Bamboo ¾"	C95	0.25	0.27	15	37	42	56	CS-L-GYVVS
Duette Architella Batiste Bamboo 1¼"	C97	0.23	0.27	15	37	42	56	CS-L-UEZAE
Duette Architella Classic ¾"	C50	0.26	0.24	11	40	43	55	CS-L-85LWX
Duette Architella Elan ¾"	C22	0.27	0.24	9	40	40	55	CS-L-IJQKG
Duette Architella Elan 1¼"	C42	0.26	0.24	9	40	39	55	CS-L-3U7GS
Duette Architella Elan Metallic ¾"	C22	0.27	0.24	8	40	42	56	CS-L-RNZUY
Duette Architella Elan Metallic 1¼"	C42	0.27	0.24	8	40	42	56	CS-L-N2C90
Duette Architella India Silk ¾"	U22	0.21	0.21	10	40	44	57	CS-L-NB2MV
Duette Architella India Silk 1¼"	U42	0.21	0.21	10	40	45	57	CS-L-9S7QB
Duette Architella Reception ¾"	C56	0.27	0.22	8	42	39	48	CS-L-XNLFS
Duette Architella Thea ¾"	C58	0.27	0.24	9	40	43	56	CS-L-8EKHL
Duette Architella Thea 1¼"	C60	0.27	0.24	9	40	43	56	CS-L-9XRAA

(continued)



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

Duette® Architella® ¾" and 1¼" Batiste Semi-Sheer Honeycomb Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
Duette® Architella® Batiste Semi-Sheer ¾" Black Magic	Y10-748	0.21	0.37	26	21	53	30	CS-L-FCV9A
Duette Architella Batiste Semi-Sheer 1¼" Black Magic	Y09-748	0.21	0.37	26	21	54	30	CS-L-CE1KK
Duette Architella Batiste Semi-Sheer ¾" Burnt Ember	Y10-936	0.21	0.35	24	24	53	34	CS-L-GYFJ2
Duette Architella Batiste Semi-Sheer 1¼" Burnt Ember	Y09-936	0.21	0.36	25	24	53	34	CS-L-X1XLS
Duette Architella Batiste Semi-Sheer ¾" Daisy White	Y10-951	0.20	0.30	19	31	50	44	CS-L-0ART5
Duette Architella Batiste Semi-Sheer 1¼" Daisy White	Y09-951	0.20	0.31	20	31	51	44	CS-L-AAQA4
Duette Architella Batiste Semi-Sheer ¾" Desert Sands	Y10-955	0.20	0.33	22	28	51	39	CS-L-WZ50D
Duette Architella Batiste Semi-Sheer 1¼" Desert Sands	Y09-955	0.20	0.33	22	28	52	39	CS-L-HPA9Z
Duette Architella Batiste Semi-Sheer ¾" Journal	Y10-457	0.20	0.31	20	31	50	43	CS-L-NTFTT
Duette Architella Batiste Semi-Sheer 1¼" Journal	Y09-457	0.20	0.31	20	30	51	43	CS-L-50LU5
Duette Architella Batiste Semi-Sheer ¾" Linen	Y10-953	0.20	0.31	21	30	51	42	CS-L-6Y0M1
Duette Architella Batiste Semi-Sheer 1¼" Linen	Y09-953	0.20	0.32	21	29	51	42	CS-L-VNVKE
Duette Architella Batiste Semi-Sheer ¾" Renaissance Gold	Y10-718	0.21	0.33	22	27	53	30	CS-L-1WPX
Duette Architella Batiste Semi-Sheer 1¼" Renaissance Gold	Y09-718	0.21	0.34	22	27	51	39	CS-L-BZ5YX
Duette Architella Batiste Semi-Sheer ¾" Rich Mocha	Y10-790	0.20	0.36	25	23	53	33	CS-L-G4DEL
Duette Architella Batiste Semi-Sheer 1¼" Rich Mocha	Y09-790	0.20	0.36	25	23	53	33	CS-L-VXLHF

Duette ¾" and ¾" Room-Darkening Honeycomb Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
Duette Classic™ ¾"	H7	0.24	0.19	9	45	42	61	CS-L-LJK11
Duette Classic ¾"	D7	0.25	0.18	7	46	24	60	CS-L-H4IRC
Duette Commercial with MicroShield® ¾"	D23	0.25	0.18	7	46	27	60	CS-L-SQRKE
Duette Reception ¾"	D57	0.25	0.18	7	46	22	59	CS-L-NBAHO

(continued)



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

Duette ⅜" and ¾" Light-Filtering Honeycomb Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
Duette Classic ⅜"	D1	0.3	0.31	9	33	35	46	CS-L-05I21
Duette Classic ¾"	D2	0.28	0.28	9	36	38	50	CS-L-GFH3U
Duette Commercial with MicroShield ¾"	D22	0.28	0.24	6	40	20	53	CS-L-3SUF8
Duette Reception ¾"	D56	0.29	0.26	5	38	34	53	CS-L-YWRZV

Duette® ¾" and 1¼" ClearView® and Whisper™ Sheer Honeycomb Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
Duette® ClearView® Sheer ¾"	V01	0.30	0.46	14	17	35	19	CS-L-XTBPA
Duette ClearView Sheer 1¼"	V02	0.30	0.47	13	16	34	18	CS-L-ISVWS
Duette Whisper™ Sheer ¾" — Almond Mist	D8-702	0.36	0.47	10	13	26	18	CS-L-1L11S
Duette Whisper Sheer 1¼" — Almond Mist	D40-702	0.37	0.47	10	13	26	18	CS-L-7JW74
Duette Whisper Sheer ¾" — Black Magic	D9-748	0.34	0.48	15	12	33	16	CS-L-HBHE5
Duette Whisper Sheer 1¼" — Black Magic	D49-748	0.34	0.48	15	11	32	15	CS-L-ECZW5
Duette Whisper Sheer ¾" — Chiffon	D8-701	0.37	0.43	6	21	23	29	CS-L-U0Q4T
Duette Whisper Sheer 1¼" — Chiffon	D40-701	0.37	0.43	6	20	23	28	CS-L-XGLZE
Duette Whisper Sheer ¾" — Coconut Husk	D8-763	0.35	0.47	12	15	29	21	CS-L-SLJSC
Duette Whisper Sheer 1¼" — Coconut Husk	D40-763	0.36	0.47	12	15	29	20	CS-L-WNYNQ
Duette Whisper Sheer ¾" — Daisy White	D8-951	0.37	0.41	4	23	22	32	CS-L-TNJKF
Duette Whisper Sheer 1¼" — Daisy White	D40-951	0.37	0.41	4	22	22	31	CS-L-IYYY2
Duette Whisper Sheer ¾" — Dovetail	D9-977	0.36	0.44	9	18	27	25	CS-L-LURKT
Duette Whisper Sheer 1¼" — Dovetail	D49-977	0.36	0.45	9	18	27	25	CS-L-HMZ00
Duette Whisper Sheer ¾" — Eiffel Tower	D9-588	0.32	0.47	15	11	36	18	CS-L-EBF5J
Duette Whisper Sheer 1¼" — Eiffel Tower	D49-588	0.33	0.47	16	13	35	18	CS-L-JV3AL
Duette Whisper Sheer ¾" — Evening Fog	D8-762	0.37	0.48	10	14	25	19	CS-L-LDRHB
Duette Whisper Sheer 1¼" — Evening Fog	D40-762	0.37	0.48	10	13	25	18	CS-L-6NWSW
Duette Whisper Sheer ¾" — Gingersnap	D8-916	0.37	0.45	8	17	24	24	CS-L-Q4YGO
Duette Whisper Sheer 1¼" — Gingersnap	D40-916	0.37	0.41	4	22	24	24	CS-L-A2D3B
Duette Whisper Sheer ¾" — Platinum	D8-682	0.36	0.45	9	17	26	24	CS-L-RMZTP
Duette Whisper Sheer 1¼" — Platinum	D40-682	0.36	0.45	9	17	26	24	CS-L-903M0
Duette Whisper Sheer ¾" — Tea Light	D8-760	0.37	0.44	7	19	24	26	CS-L-ZXR6C
Duette Whisper Sheer 1¼" — Tea Light	D40-760	0.37	0.44	7	18	24	26	CS-L-AC9CV
Duette Whisper Sheer ¾" — White Organdy	D8-700	0.37	0.43	6	20	23	28	CS-L-MY1V1
Duette Whisper Sheer 1¼" — White Organdy	D40-700	0.37	0.44	6	20	23	28	CS-L-PHWRC

(continued)



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

Applause® ⅜" and ¾" Room-Darkening Honeycomb Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
HDOrigins® Esprit™ ¾"	E37	0.25	0.19	8	45	19	57	CS-L-N00HP
Applause® Amity™ ¾"	E55	0.25	0.20	8	44	45	61	CS-L-ZDEKJ
Applause Kinship™ ¾"	E27	0.25	0.19	8	45	19	57	CS-L-JBLS7
Applause Legends™ ⅝"	E4	0.24	0.19	9	45	42	61	CS-L-9FRKG
Applause Legends ¾"	E3	0.25	0.18	7	46	24	60	CS-L-DLMZO
Applause Sunterra™ ⅝"	E43	0.25	0.19	8	45	17	56	CS-L-TTIVM
Applause Sunterra ¾"	E41	0.25	0.19	8	45	45	63	CS-L-41COY
Applause Vintage™ ¾"	E51	0.25	0.18	7	46	19	59	CS-L-HFOEZ

Applause Double Honeycomb, ⅜" and ¾" Light-Filtering Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
HDOrigins Esprit ¾"	E36	0.29	0.32	11	31	22	43	CS-L-0F6FY
Applause Amity ¾"	E54	0.29	0.32	10	32	38	45	CS-L-MK8FV
Applause Kinship ¾"	E26	0.29	0.32	11	31	37	44	CS-L-LTPKT
Applause Kinship Double Honeycomb	E28	0.27	0.28	13	36	44	50	CS-L-VWPTV
Applause Legends ⅝"	E1	0.3	0.31	9	33	35	46	CS-L-L333B
Applause Legends ¾"	E6	0.28	0.28	9	36	38	50	CS-L-X6PNN
Applause Legends Double Honeycomb	E5	0.27	0.27	13	37	44	51	CS-L-A19QW
Applause Sunterra ⅝"	E42	0.29	0.32	10	32	20	43	CS-L-END1G
Applause Sunterra ¾"	E40	0.31	0.29	5	35	31	49	CS-L-C4CTC
Applause Vintage ¾"	E50	0.28	0.28	9	36	39	50	CS-L-HXWHX

Applause ¾" Crystalline™ Sheer Honeycomb Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 25)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 65)	Warm Climate Rating with Automation (Max 100)	AERC Number
Applause Crystalline™ Sheer ¾" Rock Crystal	E20-513	0.35	0.41	8	22	27	31	CS-L-3CXDP
Applause Crystalline Sheer ¾" Rose Quartz	E20-514	0.37	0.41	5	22	23	31	CS-L-SYPVZ
Applause Crystalline Sheer ¾" Sheer Citrine	E20-515	0.36	0.41	7	21	25	30	CS-L-FNKTS

(continued)

Light-Filtering Duette® Architella® Batiste Bamboo, Light-Filtering Applause® Double Honeycomb and all Semi-Sheer and Sheer Honeycomb Shades

- Compared to other fabrics, these products have a higher Cool Climate rating. This is due to the high SHGC, the fabric's properties and construction which let a larger amount of solar heat into the space when the shade is closed.
- This also causes lower Warm Climate ratings. In the summer, it's best to limit the amount of solar heat that travels through a closed shade.
- Consider Duette Architella shades for a balance of Cool and Warm Climate ratings and increased insulation properties.



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

AERC Roller Shade Category

Sonnette® Room-Darkening Cellular Roller Shades								
Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 20)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 30)	Warm Climate Rating with Automation (Max 80)	AERC Number
Sonnette® Ainsley™	SN12	0.32	0.15	N/A*	48	23	61	RS-L-YRRPM
Sonnette Elan®	SN02	0.32	0.15	N/A*	49	20	67	RS-L-XRRUE
Sonnette Elan® Metallic	SN04	0.32	0.15	N/A*	49	21	68	RS-L-DUA61
Sonnette Heritage™	SN10	0.32	0.15	N/A*	48	23	61	RS-L-OMZGK
Sonnette Highline®	SN06	0.32	0.15	N/A*	48	22	61	RS-L-EJK3M
Sonnette Lenox™	SN20	0.34	0.16	N/A*	49	21	67	RS-L-UIFRO
Sonnette Mackay™	SN18	0.34	0.15	N/A*	49	20	68	RS-L-AYCCO
Sonnette Textura®	SN08	0.32	0.15	N/A*	48	22	61	RS-L-NOPL7
Sonnette Thatcher™	SN14	0.32	0.15	N/A*	48	23	61	RS-L-TRMN2

Sonnette Light-Filtering Cellular Roller Shades								
Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 55)	Cool Climate Rating with Automation (Max 30)	Warm Climate Rating with Automation (Max 80)	AERC Number
Sonnette Ainsley	SN11	0.34	0.28	N/A*	35	25	50	RS-L-ZBGIN
Sonnette Elan	SN01	0.33	0.28	0	35	23	49	RS-L-TFZQX
Sonnette Elan Metallic	SN03	0.33	0.26	N/A*	37	23	51	RS-L-01GU0
Sonnette Heritage	SN09	0.33	0.27	1	36	26	50	RS-L-RKVA2
Sonnette Highline	SN05	0.33	0.28	0	36	21	49	RS-L-HLU4T
Sonnette Lenox	SN19	0.35	0.28	N/A*	36	25	50	RS-L-UCPER
Sonnette Mackay	SN17	0.35	0.28	N/A*	35	25	48	RS-L-FW2EE
Sonnette Textura	SN07	0.35	0.27	N/A*	37	25	51	RS-L-MOGDX
Sonnette Thatcher	SN13	0.34	0.27	N/A*	35	25	50	RS-L-R96PY

(continued)

*N/A = Not Applicable for Energy Improvement

N/A means a product will not save energy without a change in a homeowner's behavior of moving shades for greater energy savings (made easy with PowerView® Automation or manually by following the AERC schedules).



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

Designer Screen Shades								
Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 55)	Cool Climate Rating with Automation (Max 30)	Warm Climate Rating with Automation (Max 80)	AERC Number
Designer Screen Empire 1% Dark Chocolate**	EMP1-492	0.37	0.47	8	10	20	14	RS-L-K201R
Designer Screen Empire 1% Fence Post	EMP1-133	0.36	0.18	N/A*	45	7	64	RS-L-YZTIQ
Designer Screen Empire 10% Dark Chocolate**	EMP10-492	0.39	0.49	7	10	16	11	RS-L-VOBI4
Designer Screen Empire 10% Fence Post	EMP10-133	0.39	0.25	N/A*	39	3	55	RS-L-H6OWF
Designer Screen GreenScreen® Sea-Tex™ 3% Anthracite	STX3-811	0.34	0.35	N/A*	25	14	34	RS-L-XDXCH
Designer Screen GreenScreen Sea-Tex 3% Light French Beige	STX3-310	0.33	0.31	N/A*	31	13	42	RS-L-FVM2T
Designer Screen GreenScreen Sea-Tex 3% Midnight Onyx	STX3-910	0.33	0.42	4	15	19	20	RS-L-SNWIF
Designer Screen GreenScreen Sea-Tex 3% Pristine	STX3-110	0.34	0.29	N/A*	34	10	48	RS-L-NCYMG
Designer Screen GreenScreen Sea-Tex 3% Titanium	STX3-810	0.34	0.33	N/A*	28	11	38	RS-L-7WPXU
Designer Screen Umbria 3% Charcoal	UMB3-904	0.31	0.21	N/A*	42	28	59	RS-L-3J4YO
Designer Screen Umbria 3% Quartz	UMB3-140	0.31	0.21	N/A*	42	28	59	RS-L-MH9WB

**Empire 1% & 10% Dark Chocolate indicate how darker colors allow more solar heat gain into a home, thus allowing for a higher score on the Cool Climate but a lower score on the Warm Climate.

(continued)

***N/A = Not Applicable for Energy Improvement**

N/A means a product will not save energy without a change in a homeowner's behavior of moving shades for greater energy savings (made easy with PowerView® Automation or manually by following the AERC schedules).



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

Designer Roller Shades								
Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 55)	Cool Climate Rating with Automation (Max 30)	Warm Climate Rating with Automation (Max 80)	AERC Number
Designer Roller Abilene Perla Bianca	ABI-101	0.37	0.32	N/A*	32	13	45	RS-L-F9DRM
Designer Roller Abilene Warm Natural	ABI-201	0.37	0.33	N/A*	30	14	43	RS-L-80F0N
Designer Roller Abilene Dovetail	ABI-401	0.37	0.34	N/A*	29	15	40	RS-L-VHNCP
Designer Roller Abilene Lottie Gray	ABI-801	0.37	0.35	N/A*	27	16	38	RS-L-0U8TX
Designer Roller Abilene Grigio	ABI-802	0.37	0.36	N/A*	27	16	37	RS-L-Z5KFW
Designer Roller Amato Alpine Snow	AMAT-101	0.36	0.17	N/A*	47	9	65	RS-L-KJJQJ
Designer Roller Amato Silk	AMAT-201	0.36	0.21	N/A*	42	11	59	RS-L-S0E5Y
Designer Roller Amato Concrete	AMAT-301	0.36	0.27	N/A*	35	14	49	RS-L-Z6S41
Designer Roller Amato Bark	AMAT-401	0.36	0.39	2	21	20	29	RS-L-BSMWU
Designer Roller Amato Sterling	AMAT-802	0.36	0.34	N/A*	27	18	38	RS-L-X4BEQ
Designer Roller Newby White Water	NWB-201	0.37	0.27	N/A*	38	11	53	RS-L-ZTXAI
Designer Roller Newby Sandbar	NWB-301	0.37	0.33	N/A*	30	15	41	RS-L-CHPBC
Designer Roller Newby Rapids	NWB-801	0.37	0.37	N/A*	24	17	34	RS-L-IDBJT
Designer Roller Sewickley Blizzard	SEW-101	0.36	0.16	N/A*	47	9	66	RS-L-JMJ5T
Designer Roller Sewickley Flurry	SEW-201	0.36	0.16	N/A*	48	9	66	RS-L-EM4SI
Designer Roller Sewickley Sleet	SEW-801	0.36	0.32	N/A*	29	17	41	RS-L-KTYKX
Designer Roller Urban Loft French Vanilla	URB-101	0.37	0.34	N/A*	30	14	42	RS-L-M6HBE
Designer Roller Urban Loft Organic Cotton	URB-102	0.37	0.33	N/A*	31	14	43	RS-L-UYNR4
Designer Roller Urban Loft Twig	URB-479	0.37	0.40	1	22	17	30	RS-L-QEKPL
Designer Roller Urban Loft River Stone	URB-801	0.37	0.37	N/A*	25	16	35	RS-L-KYUP7
Designer Roller Urban Loft Lead	URB-802	0.37	0.41	2	20	18	28	RS-L-BCVME
Designer Roller Urban Loft Ash	URB-901	0.37	0.47	9	10	22	15	RS-L-MIWUG

(continued)

***N/A = Not Applicable for Energy Improvement**

N/A means a product will not save energy without a change in a homeowner's behavior of moving shades for greater energy savings (made easy with PowerView® Automation or manually by following the AERC schedules).



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

AERC Roman Shade Category

Alustra® Vignette® Modern Roman Shades, Stacking, Full Fold, Room-Darkening Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Alustra® Vignette® Elysian™	ZE22E	0.29	0.18	N/A*	46	31	63	RM-L-ANIDP
Alustra Vignette Idyllic™	ZI22E	0.29	0.18	N/A*	46	31	63	RM-L-MF6TR
Alustra Vignette Silk Road™	Z220E	0.29	0.18	N/A*	46	31	63	RM-L-RJUHP

Alustra Vignette Modern Roman Shades, Stacking, Full Fold, Light-Filtering Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Alustra Vignette Elysian	E22	0.30	0.24	1	39	30	55	RM-L-RSEVJ
Alustra Vignette Idyllic	I22	0.32	0.33	5	30	33	43	RM-L-TFGLA
Alustra Vignette Silk Road	J30	0.31	0.30	6	33	33	45	RM-L-VKJE3

Alustra Vignette Modern Roman Shades, Stacking, Full Fold, Sheer Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Alustra Vignette Elysian	E22S	0.31	0.28	3	36	30	50	RM-L-DWMCY
Alustra Vignette Idyllic	I22S	0.34	0.44	12	18	34	27	RM-L-SM36A
Alustra Vignette Silk Road	J30S	0.31	0.39	12	22	35	31	RM-L-WC1ML

Alustra Vignette Modern Roman Shades, Rolling, Full Fold, Room-Darkening Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Alustra Vignette Elysian	ZE22	0.34	0.18	N/A*	46	22	63	RM-L-OCELK
Alustra Vignette Idyllic	ZI22	0.34	0.18	N/A*	46	22	63	RM-L-BC3UY
Alustra Vignette Silk Road	Z220	0.34	0.18	N/A*	46	22	63	RM-L-UFZOX

Alustra Vignette Modern Roman Shades, Rolling, Full Fold, Light-Filtering Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Alustra Vignette Elysian	E22	0.35	0.25	N/A*	39	22	53	RM-L-1BYON
Alustra Vignette Idyllic	I22	0.37	0.33	N/A*	30	25	42	RM-L-8HVT9
Alustra Vignette Silk Road	J30	0.35	0.31	0	32	25	44	RM-L-SWSXW

Alustra Vignette Modern Roman Shades, Rolling, Full Fold, Sheer Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Alustra Vignette Elysian	E22S	0.35	0.28	N/A*	35	22	49	RM-L-HR81F
Alustra Vignette Idyllic	I22S	0.38	0.45	6	17	27	25	RM-L-I04FE
Alustra Vignette Silk Road	J30S	0.35	0.41	8	21	28	28	RM-L-SHEGN

(continued)



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

Alustra® Vignette® Modern Roman Shades, Rolling, Flat Fold, Room-Darkening Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Alustra® Vignette® Elysian™	FZE22	0.35	0.19	N/A*	45	17	62	RM-L-VK7UX
Alustra Vignette Idyllic™	FZI22	0.35	0.19	N/A*	45	17	62	RM-L-OGGMM
Alustra Vignette Silk Road™	FZ20	0.35	0.19	N/A*	45	17	62	RM-L-KXIFD

Alustra Vignette Modern Roman Shades, Rolling, Flat Fold, Light-Filtering Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Alustra Vignette Elysian	FE22	0.36	0.25	N/A*	38	17	53	RM-L-SL6SX
Alustra Vignette Idyllic	FI22	0.38	0.34	N/A*	28	20	40	RM-L-TIDHY
Alustra Vignette Silk Road	FJ20	0.36	0.31	N/A*	31	20	42	RM-L-AMPVR

Alustra Vignette Modern Roman Shades, Rolling, Flat Fold, Sheer Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Alustra Vignette Elysian	FE22S	0.37	0.28	N/A*	35	16	49	RM-L-8EN47
Alustra Vignette Idyllic	FI22S	0.40	0.46	3	15	22	22	RM-L-TPYFB
Alustra Vignette Silk Road	FJ20S	0.37	0.41	4	19	22	26	RM-L-IPK8A

Vignette Modern Roman Shades, Stacking, Full Fold, Room-Darkening Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Vignette Belfast Linen	Z216E	0.29	0.18	N/A*	46	31	63	RM-L-TF9Z0
Vignette Brooklyn Tweed™	Z51E	0.29	0.18	N/A*	46	31	64	RM-L-GXYIK
Vignette Caden™	ZB22E	0.29	0.18	N/A*	46	31	63	RM-L-XZT8K
Vignette Cambria™	ZA22E	0.29	0.18	N/A*	46	31	63	RM-L-B7M2D
Vignette Cascade	Z213E	0.29	0.18	N/A*	46	31	63	RM-L-HFV58
Vignette India Silk™	Z43HE	0.29	0.18	N/A*	46	31	63	RM-L-NOPUN
Vignette Jewelstone	Z52E	0.29	0.18	N/A*	46	31	63	RM-L-IDBMP
Vignette Knox™	ZK22E	0.29	0.18	N/A*	46	31	63	RM-L-FFP3T
Vignette Leela™	ZL22E	0.30	0.18	N/A*	45	30	63	RM-L-1GHRQ
Vignette Linen Weave	Z18E	0.29	0.18	N/A*	46	32	64	RM-L-NEYEO
Vignette Loren™	ZG22E	0.29	0.18	N/A*	46	30	63	RM-L-UYIL8
Vignette Prairie	Z39E	0.29	0.18	N/A*	46	31	63	RM-L-EUNSA
Vignette Rory™	ZR22E	0.29	0.18	N/A*	46	31	63	RM-L-PWD7E
Vignette Shantung	Z41E	0.29	0.18	N/A*	46	31	64	RM-L-QIY3C
Vignette Siena™	ZS22E	0.29	0.18	N/A*	46	31	63	RM-L-TDQ9D

(continued)



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

Vignette® Modern Roman Shades, Stacking, Full Fold, Light-Filtering Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Vignette® Belfast Linen	J16	0.31	0.30	6	32	33	45	RM-L-LAFYI
Vignette Brooklyn Tweed™	L51	0.30	0.29	6	33	33	46	RM-L-Y4FFK
Vignette Caden™	B22	0.30	0.30	6	32	33	45	RM-L-ZVQQB
Vignette Cambria™	A22	0.31	0.29	4	34	32	47	RM-L-ZADLC
Vignette Cascade	J13	0.30	0.25	2	39	31	54	RM-L-19IKI
Vignette India Silk™	P4H	0.30	0.26	2	37	31	52	RM-L-PBIE1
Vignette Jewelstone	L52	0.32	0.32	5	31	33	43	RM-L-VOPAH
Vignette Knox™	K22	0.30	0.30	6	32	33	45	RM-L-4FITV
Vignette Leela™	L22	0.33	0.31	4	32	32	45	RM-L-NSZUF
Vignette Linen Weave	J6	0.30	0.28	5	35	34	49	RM-L-VW8XB
Vignette Loren™	G22	0.32	0.31	5	31	33	44	RM-L-GLMJU
Vignette Prairie	T8	0.30	0.30	6	33	31	50	RM-L-AGSXL
Vignette Rory™	R22	0.32	0.28	2	35	33	45	RM-L-TLGZV
Vignette Shantung	M4	0.30	0.29	6	33	33	46	RM-L-74DWG
Vignette Siena™	S22	0.30	0.25	2	38	31	53	RM-L-VOCL1

Vignette Modern Roman Shades, Stacking, Full Fold, Sheer Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Vignette Belfast Linen	J16S	0.31	0.40	13	22	36	30	RM-L-HF5FH
Vignette Brooklyn Tweed	L51S	0.31	0.38	12	23	35	32	RM-L-1WGM4
Vignette Caden	B22S	0.31	0.40	13	21	36	29	RM-L-7PCDC
Vignette Cambria	A22S	0.32	0.37	10	25	33	35	RM-L-K62IJ
Vignette Cascade	J13S	0.31	0.29	3	35	30	49	RM-L-BUBBB
Vignette India Silk	P4HS	0.31	0.31	6	32	31	44	RM-L-V05XE
Vignette Jewelstone	L52S	0.33	0.43	13	19	35	27	RM-L-NWLBP
Vignette Knox	K22S	0.31	0.40	14	22	36	29	RM-L-NHRHO
Vignette Leela	L22S	0.36	0.40	7	22	31	33	RM-L-TXFZM
Vignette Linen Weave	J6S	0.31	0.36	11	27	36	37	RM-L-QF5GL
Vignette Loren	G22S	0.32	0.42	12	20	35	28	RM-L-DPCSM
Vignette Prairie	T8S	0.31	0.39	13	22	36	30	RM-L-EVZ63
Vignette Rory	R22S	0.33	0.34	5	29	31	41	RM-L-X18UG
Vignette Shantung	M4S	0.31	0.39	12	22	35	31	RM-L-UST91
Vignette Siena	S22S	0.31	0.29	4	34	31	47	RM-L-TETC6

(continued)



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

Vignette® Modern Roman Shades, Rolling, Full Fold, Room-Darkening Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Vignette® Belfast Linen	Z216	0.34	0.18	N/A*	46	22	63	RM-L-T6QXV
Vignette Brooklyn Tweed™	Z51	0.34	0.18	N/A*	46	23	63	RM-L-RYN9D
Vignette Caden™	ZB22	0.34	0.18	N/A*	46	23	63	RM-L-MIVAZ
Vignette Cambria™	ZA22	0.34	0.18	N/A*	46	23	63	RM-L-XSCBM
Vignette Cascade	Z213	0.34	0.18	N/A*	46	22	63	RM-L-YLBPW
Vignette India Silk™	Z43H	0.34	0.18	N/A*	46	22	63	RM-L-4CIH2
Vignette Jewelstone	Z52	0.34	0.18	N/A*	46	23	63	RM-L-AFA2B
Vignette Knox™	ZK22	0.34	0.18	N/A*	46	22	63	RM-L-AUCIO
Vignette Leela™	ZL22	0.34	0.18	N/A*	46	22	63	RM-L-BS0JJ
Vignette Linen Weave	Z18	0.34	0.18	N/A*	45	24	64	RM-L-OQTC7
Vignette Loren™	ZG22	0.34	0.18	N/A*	46	22	63	RM-L-P0WAF
Vignette Prairie	Z39	0.34	0.18	N/A*	46	22	63	RM-L-RCHCO
Vignette Rory™	ZR22	0.34	0.18	N/A*	46	22	63	RM-L-DDG88
Vignette Shantung	Z41	0.35	0.19	N/A*	45	23	64	RM-L-YJMS2
Vignette Siena™	ZS22	0.34	0.18	N/A*	46	22	63	RM-L-WQ30H

Vignette Modern Roman Shades, Rolling, Full Fold, Light-Filtering Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Vignette Belfast Linen	J16	0.35	0.31	0	32	25	43	RM-L-97ZYH
Vignette Brooklyn Tweed	L51	0.35	0.30	1	33	26	45	RM-L-4WZRK
Vignette Caden	B22	0.35	0.31	1	32	26	43	RM-L-BDQGT
Vignette Cambria	A22	0.36	0.30	N/A*	32	23	45	RM-L-PK40P
Vignette Cascade	J13	0.35	0.25	N/A*	38	22	53	RM-L-BH6CC
Vignette India Silk	P4H	0.35	0.26	N/A*	37	23	50	RM-L-MXUJU
Vignette Jewelstone	L52	0.37	0.33	N/A*	30	25	42	RM-L-JBYCJ
Vignette Knox	K22	0.35	0.31	1	32	25	43	RM-L-3MSDX
Vignette Leela	L22	0.37	0.31	N/A*	31	24	45	RM-L-4NQGK
Vignette Linen Weave	J6	0.35	0.29	0	34	25	47	RM-L-QV97G
Vignette Loren	G22	0.36	0.32	N/A*	31	25	43	RM-L-VZYG6
Vignette Prairie	T8	0.35	0.31	1	32	25	43	RM-L-LDMX9
Vignette Rory	R22	0.37	0.28	N/A*	35	23	49	RM-L-RDIYX
Vignette Shantung	M4	0.35	0.30	1	32	26	45	RM-L-KYQTJ
Vignette Siena	S22	0.35	0.25	N/A*	38	23	52	RM-L-GUOSS

(continued)



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

Vignette® Modern Roman Shades, Rolling, Full Fold, Sheer Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Vignette® Belfast Linen	J16S	0.36	0.41	8	21	28	28	RM-L-D4DZP
Vignette Brooklyn Tweed™	L51S	0.35	0.40	8	22	28	29	RM-L-01R61
Vignette Caden™	B22S	0.35	0.42	9	21	29	27	RM-L-F310K
Vignette Cambria™	A22S	0.36	0.38	5	24	25	32	RM-L-8TNLC
Vignette Cascade	J13S	0.35	0.29	N/A*	35	22	48	RM-L-SJHHH
Vignette India Silk™	P4HS	0.35	0.32	1	31	24	42	RM-L-Q02FC
Vignette Jewelstone	L52S	0.37	0.44	7	17	28	25	RM-L-F1XAC
Vignette Knox™	K22S	0.35	0.41	9	21	29	26	RM-L-AL5YN
Vignette Leela™	L22S	0.40	0.40	0	21	25	32	RM-L-L55IY
Vignette Linen Weave	J6S	0.35	0.37	6	26	28	36	RM-L-GVXJM
Vignette Loren™	G22S	0.37	0.43	7	19	28	26	RM-L-Q0ACJ
Vignette Prairie	T8S	0.35	0.41	8	21	28	27	RM-L-ODC0N
Vignette Rory™	R22S	0.38	0.34	N/A*	28	23	40	RM-L-UF1UP
Vignette Shantung	M4S	0.35	0.40	8	22	29	29	RM-L-DHLM0
Vignette Siena™	S22S	0.35	0.30	0	33	24	45	RM-L-YS01B

Vignette Modern Roman Shades, Rolling, Flat Fold, Room-Darkening Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Vignette Belfast Linen	FZ16	0.35	0.19	N/A*	45	17	62	RM-L-SMVC1
Vignette Brooklyn Tweed	FZ51	0.35	0.19	N/A*	45	17	62	RM-L-ALVND
Vignette Caden	FZB22	0.35	0.19	N/A*	45	17	62	RM-L-QUBKN
Vignette Cambria	FZA22	0.35	0.19	N/A*	45	17	62	RM-L-DBYXY
Vignette Cascade	FZ13	0.35	0.19	N/A*	45	17	62	RM-L-0HSMA
Vignette India Silk	FZH42	0.35	0.19	N/A*	45	17	62	RM-L-U2LK4
Vignette Jewelstone	FZ52	0.35	0.19	N/A*	45	18	62	RM-L-TOHZW
Vignette Knox	FZK22	0.35	0.19	N/A*	45	17	62	RM-L-VKRU5
Vignette Leela	FZL22	0.35	0.19	N/A*	45	17	62	RM-L-IU7P8
Vignette Linen Weave	FZ5	0.35	0.19	N/A*	44	18	62	RM-L-KOR9U
Vignette Loren	FZG22	0.35	0.19	N/A*	45	17	62	RM-L-8YBTB
Vignette Prairie	FZ39	0.35	0.19	N/A*	45	17	62	RM-L-J1XPN
Vignette Rory	FZR22	0.35	0.19	N/A*	45	17	62	RM-L-M8IM7
Vignette Shantung	FZ40	0.35	0.19	N/A*	45	17	62	RM-L-JBAGX
Vignette Siena	FZS22	0.35	0.19	N/A*	45	17	62	RM-L-NOTU7

(continued)



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit AERCEnergyRating.org for additional rating criteria details.

Vignette® Modern Roman Shades, Rolling, Flat Fold, Light-Filtering Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Vignette® Belfast Linen	FJ16	0.37	0.32	N/A*	30	20	42	RM-L-SGGNA
Vignette Brooklyn Tweed™	FL51	0.36	0.31	N/A*	31	20	42	RM-L-OQHDD
Vignette Caden™	FB22	0.36	0.32	N/A*	30	20	41	RM-L-BXIZI
Vignette Cambria™	FA22	0.37	0.30	N/A*	32	17	44	RM-L-SWE23
Vignette Cascade	FJ13	0.36	0.26	N/A*	37	17	52	RM-L-QHHDN
Vignette India Silk™	FPH3	0.36	0.27	N/A*	36	17	50	RM-L-HPJFZ
Vignette Jewelstone	FL52	0.33	0.43	13	19	20	39	RM-L-GEYHX
Vignette Knox™	FK22	0.36	0.32	N/A*	30	20	41	RM-L-L3MSW
Vignette Leela™	FL22	0.38	0.33	N/A*	29	19	42	RM-L-D3NUW
Vignette Linen Weave	FJ5	0.36	0.29	N/A*	32	19	45	RM-L-YGMNX
Vignette Loren™	FG22	0.38	0.33	N/A*	29	20	41	RM-L-PTFAL
Vignette Prairie	FT8	0.36	0.31	N/A*	30	20	42	RM-L-IYCD8
Vignette Rory™	FR22	0.38	0.29	N/A*	33	18	48	RM-L-KXGH6
Vignette Shantung	FM3	0.36	0.31	N/A*	30	20	43	RM-L-ZZOF0
Vignette Siena™	FS22	0.36	0.25	N/A*	37	17	52	RM-L-QS3GF

Vignette Modern Roman Shades, Rolling, Flat Fold, Sheer Shades

Product Name	Model Number	U-factor	Solar Heat Gain Coefficient	Cool Climate Rating (Max 15)	Warm Climate Rating (Max 50)	Cool Climate Rating with Automation (Max 50)	Warm Climate Rating with Automation (Max 70)	AERC Number
Vignette Belfast Linen	FJ16S	0.37	0.42	4	19	22	25	RM-L-PSNF3
Vignette Brooklyn Tweed	FL51S	0.37	0.41	4	20	22	27	RM-L-K6ZLL
Vignette Caden	FB22S	0.37	0.42	6	18	23	24	RM-L-AX3SA
Vignette Cambria	FA22S	0.38	0.39	1	22	19	31	RM-L-T973B
Vignette Cascade	FJ13S	0.37	0.29	N/A*	34	16	47	RM-L-PB9DG
Vignette India Silk	FPH3S	0.37	0.32	N/A*	30	18	42	RM-L-7S3KS
Vignette Jewelstone	FL52S	0.39	0.45	5	15	22	22	RM-L-ZUWVM
Vignette Knox	FK22S	0.37	0.42	6	18	23	24	RM-L-Y30XY
Vignette Leela	FL22S	0.41	0.42	N/A*	19	19	28	RM-L-KB4CA
Vignette Linen Weave	FJ5S	0.37	0.37	2	24	19	46	RM-L-YXR7S
Vignette Loren	FG22S	0.38	0.44	4	17	22	24	RM-L-HZAYH
Vignette Prairie	FT8S	0.37	0.42	5	19	23	25	RM-L-HWZLW
Vignette Rory	FR22S	0.39	0.35	N/A*	27	18	38	RM-L-NEWSM
Vignette Shantung	FM3S	0.37	0.41	4	19	22	27	RM-L-Q2Y2V
Vignette Siena	FS22S	0.37	0.29	N/A*	33	17	45	RM-L-IW7BM

***N/A = Not Applicable for Energy Improvement**

N/A means a product will not save energy without a change in a homeowner's behavior of moving shades for greater energy savings (made easy with PowerView® Automation or manually by following the AERC schedules).



The Attachments Energy Rating Council ratings are based on certain assumed criteria, including attachment installation over a double-pane, clear glass window. AERC does not represent or guarantee in any respect that the consumer will experience energy savings. Visit [AERC Energy Rating.org](https://www.aercenergyrating.org) for additional rating criteria details.

Note: All Hunter Douglas product recommendations are based on third-party verified energy performance ratings through the Attachments Energy Rating Council (AERC). Ratings are currently applicable in the U.S. only.